

# GENIEMAT<sup>®</sup> FF70LDM

## FLOATING FLOOR PANEL SYSTEM



### PRODUCT SPECIFICATION

**PRODUCT NAME:** GenieMat FF70LDM

**DESCRIPTION:** Pre-engineered OSB (oriented strand board) subfloor panels complete with engineered elastomer and mineral wool insulation. **GenieMat FF70LDM** is used when superior sound control is required in mechanical rooms, sound studios, home theatres, entertainment venues, medical facilities, exercise, gym, and dance floors, and commercial, industrial, and multifamily housing.

**APPLICATION:** Shock absorbing, and airborne and impact sound reducing subfloor panels to be used under gypsum, light-weight or full-weight concrete, or finished floors.

- FEATURES AND BENEFITS:**
- Significantly increases  $L_{n,w}$  and  $R_w$  ratings
  - Mould, bacteria, fungi, and water resistant
  - No potential mould-producing fibreglass
  - Will not break down or move under load – strong enough for trades to work on before pouring or laying plywood
  - Easy to install, stays in place, and will not move when laid. No need to glue

**DIMENSION:** Panel: nom. 591 mm wide, 591 mm long

**THICKNESS:** nom. 70 mm  $\pm$  1.6mm tolerance

**PANEL WEIGHT:** 4.17 kg

**PANEL AREA:** nom. 0.353 m<sup>2</sup>

**PANELS/PALLET:** 100

# GENIEMAT<sup>®</sup> FF70LDM

## FLOATING FLOOR PANEL SYSTEM




### TECHNICAL DATA

PRODUCT WEIGHT: 11.8 kg/m<sup>2</sup>

LABORATORY IMPACT INSULATION CLASS (ASTM E492): Specified floor-ceiling assembly must be tested in a NVLAP-certified laboratory and comply with ASTM/ISO standards.

FIELD IMPACT INSULATION CLASS (ASTM E1007): Specified floor-ceiling assembly must meet requirement as stated by building code and/or acoustical consultant.

TEMPERATURE STABILITY: -40°C to +115°C





# AROUND THE WORLD.



## PLITEQ INC.

131 Royal Group Crescent  
Vaughan, ON  
L4H 1X9 Canada

T. + 1 416 449 0049

info@pliteq.com  
www.pliteq.com

## PLITEQ (UK) LTD.

Compass House  
Vision Park, Chivers Ways  
Histon, Cambridge  
CB24 9AD

T. + 44 203 9846444

info@pliteq.co.uk  
www.pliteq.co.uk

## PLITEQ BUILDING MATERIALS TRADING LLC.

European Business Centre  
Dubai Investment Park  
PO Box 473 512  
Dubai, UAE

T. + 971 4 813 550

info@pliteq.ae  
www.pliteq.ae

## PLITEQ ASIA PACIFIC PTE LTD.

101 Cecil Street #19-13  
Tong Eng Building Singapore  
069533

T. +65 8452 6865

info@pliteq.sg  
www.pliteq.sg



© Pliteq Inc.

®™ Trademarks of Pliteq Inc. The information provided is accurate to the best of our knowledge at the time of issue. However, we reserve the right to make changes when necessary without further notification. Suggested application may need to be modified to conform with local building codes and conditions. We cannot accept responsibility for products that are not used, or installed, to our specifications. All listed dimensions are nominal.